
Combination of the GF Complex and Nano-Iodine

IODINE + HUMICELL

How the intake regimen and expected outcomes change

1. Key Clarification About the HumiCell Product

HumiCell is neither a classical humate nor “pure humic acids”.

In fact:

- the **fulvic fraction predominates (63.5%)**
- a **humic fraction** is present (with sorption and protective properties)
- **liquid form** → high bioavailability
- **fermented base (kombucha)** → gentle effect on the gastrointestinal tract

Therefore, **HumiCell should not be viewed as a sorbent that neutralizes iodine**, but rather as a product that **optimizes iodine intake and utilization**.

2. How HumiCell Interacts with Iodine

FULVIC ACIDS IN HUMICELL + IODINE

Mechanisms:

- form **labile complexes with trace elements**
- improve **transmembrane transport**
- reduce **local irritation of the gastrointestinal mucosa**
- support **cellular antioxidant defense**

What this provides during iodine intake:

- more **even distribution of iodine in tissues**
- fewer **“iodine reactions”**
- reduced risk of **tachycardia, anxiety, and gastrointestinal burning sensations**
- more **physiological incorporation of iodine into metabolism**

HUMIC FRACTION OF HUMICELL + IODINE

Mechanisms:

- binding of **competing halogens** (bromine, fluorine)
- reduction of **endotoxic load from the intestine**
- lowering of the **inflammatory background**

This leads to:

- **gentler adaptation of the body to iodine**
- fewer “exacerbation-type” reactions
- **protection of the intestine and liver**

3. How to Properly Take Iodine with HumiCell

Optimal Regimen

A common option for most individuals:

Morning — HumiCell

- 1 tablespoon
- on an **empty stomach or 20–30 minutes before meals**
- can be diluted in water

Effects:

- prepares the intestine
- reduces toxic load
- activates transport of trace elements

IODINE

- taken **during meals or immediately after**
- preferably **in the first half of the day**

In this case iodine enters a **cleaner and better-prepared internal environment**.

Important

HumiCell **does not need to be separated by 2–3 hours** from iodine as is recommended with classical humates, because:

- **fulvic acids predominate**
- they **do not block iodine**, but rather **improve its tolerance and utilization**

4. Expected Results from the Combination of Iodine + HumiCell

Realistic and scientifically reasonable effects:

- **better tolerance of iodine**
- fewer side effects or discomfort
- **more stable energy levels**
- gentle **support of thyroid function**
- reduction in the severity of **iodine-deficiency symptoms**

---

5. Additional Notes

“HumiCell does not increase the iodine dose and does not directly interfere with hormones.
It reduces the chaotic nature of the body’s reaction to iodine and creates conditions for its more physiological utilization.”

“HumiCell is a fulvic-humic matrix that makes iodine intake gentler, safer, and more bioavailable, reducing the risk of adverse reactions.”

Step-by-Step Mechanism of Action

At the Level of Digestion (First Contact)

After ingestion, **HumiCell** is not digested like ordinary food.
It functions as a **bioactive matrix**.

What happens:

- fulvic acids have **very small molecular size**
- they easily **pass through the intestinal mucosa**
- bind **toxins, heavy metal salts, and putrefaction products**
- help improve the **composition of intestinal microbiota**

Result:

- the intestine becomes **cleaner**
- inflammation **decreases**
- absorption of nutrients **improves**

Transport of Trace Elements (Key Mechanism)

Fulvic acids act as **biological carriers**.

At the molecular level:

- fulvic acids form **chelated complexes with minerals** (Mg, Zn, Fe, Ca, etc.)
- these complexes are **recognized by cellular membranes**
- minerals **enter the cell more easily**

Unlike many conventional supplements, trace elements **reach the cell rather than being lost in the gastrointestinal tract**.

Action at the Cellular Level (Most Important)

Cell Membrane

Fulvic acids:

- increase **permeability of the cellular membrane**
- improve **ion exchange** (Na^+ / K^+ / Ca^{2+})

The cell **breathes and nourishes itself more efficiently**.

Mitochondria (Cellular Energy Stations)

Fulvic acids:

- reduce **oxidative stress**
- improve the function of the **respiratory chain**
- increase **ATP production**

This leads to:

- increased energy
- improved endurance
- faster recovery

Antioxidant Protection

Humic and fulvic acids:

- bind **free radicals**
- reduce **DNA damage**
- protect **cellular proteins and lipids**

This forms a basis for **slowing aging processes and protecting organs**.

Detoxification (Liver and Blood)

HumiCell acts as a natural sorbent, but gently:

- it **does not remove beneficial substances**
- supports **hepatic enzyme systems**
- reduces **toxic load**

Result:

- support of liver function
- reduction of intoxication

Immune System

At the cellular level:

- **macrophage activity improves**
- immune cell responses become **more balanced**
- **allergic hyperreactivity decreases**

The immune system becomes **balanced and intelligent rather than aggressive**.

Skin, Hair, and Tissue Recovery

Fulvic acids:

- help **retain water at the cellular level**
- improve **nutrition of fibroblasts**
- accelerate **tissue regeneration**

This results in:

- improved skin condition
- reduced skin eruptions
- faster recovery after tissue damage

Why the Effect Is Systemic

Because **HumiCell** is:

- not a hormone
- not a stimulant
- not a symptom suppressor

It improves the **basic functioning of cells**, and when cells function properly, **the entire body can recover and maintain balance**.

Important

- The effect is **cumulative**.
- Best results are achieved when taken **in courses**.
- According to the presentation, it may be used by **adults, children, elderly individuals, pregnant women, and breastfeeding mothers**.